

Phyt.

802 (12)



This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

Google™ books

<https://books.google.com>



yt.
02
/12

R. BUIST'S
CATALOGUE
OF
HORTICULTURAL AND AGRICULTURAL
SEEDS AND IMPLEMENTS,
HORTICULTURAL, AGRICULTURAL AND BOTANICAL
BOOKS,
GARDEN UTENSILS, TOOLS AND ORNAMENTS,
BULBOUS ROOTS,
&c.

WAREHOUSE, 84 CHESNUT STREET,
CITY GREENHOUSES AND GARDEN, SOUTH TWELFTH STREET,
SEED FARM, PASSYUNK ROAD.

PHILADELPHIA:
T. K. & P. G. COLLINS, PRINTERS.
1846.


INTRODUCTION.

IN laying before the public this catalogue of seeds, implements, &c., R. B. begs to observe that its character corresponds with his nursery and greenhouse lists. *Nothing is published that he is not in possession of*, which (unless there be a limited supply) enables him to meet the wants of every customer. In extending his seed and implement business he does so purely to meet the increased taste for the rural pleasures of life. He will, as heretofore, give strict attention to every branch of the business. His assistants are men of education, tried experience, and *practically* acquainted with the science. These qualities render his establishment equal, if not superior to any other in the United States. Its prosperity hitherto has had no parallel in this country—for which he is indebted to the liberality of a discriminating public.

All seeds offered are warranted, and should any prove contrary to representations, they will be replaced by others, or the money refunded. To country merchants his establishment offers every facility, as every article connected with the seed and nursery line is grown by him; therefore their orders can be executed at very short notice, and with the certainty of having their articles genuine. He will be happy to show purchasers his stock, either in the warehouse, greenhouses, nursery or seed-farm, and all who make their wants known shall have the most punctual attention. Prices will be as moderate as possible, and those dealers who buy to sell again will receive a very handsome discount. In towns and villages, where convenient, a few individuals can club together with their orders and save considerable expense in packing and transportation.

Every favour, small or large, accompanied with cash or responsibility, will receive prompt attention.





OF

KITCHEN GARDEN SEEDS.



Artichaut. **ARTICHOKE.** *Cynara scolymus.*
Common. Globe.
Sow about the end of March or beginning of April.

Aspèrge. **ASPARAGUS.** *Aspàragus officinàlis.*
Giant. Large green top't.
Sow in rich sandy soil, about the beginning of April.

Haricot sans rames. **BEANS.** *Phaseolus vulgàris.*
Early Valentine. Red Cranberry.
" Six weeks. Warrington.
" Cluster. Royal Dwarf, or White Kidney.
" Mohawk. Black Kidney.

Sow about the end of March for the first crop, and every ten days, or two weeks, till the first of August, for a succession.
The above are termed snapshort, string, kidney, or French beans.

Haricot à rames. **BEANS.** *Phaseolus vulgàris var.*
Large White Lima. Carolina.
" Green " Scarlet Runners.

These are termed Pole, or Running Beans, and should be planted in hills, from the end of April to the first of June.

Fève de marais.

Early Mazagan.
 White Windsor.
 Green "

BEANS.

White Longpod.
 Green "
 Nonpareil.

Vicia Faba.

Sow as early as the weather will admit of, and at intervals for a succession.

Betterave.

Manchester Red.
 Early Blood.
 Long Red.
 Long Red Mangold Wurzel.
 Yellow Globe Mangold Wurzel.

BEET.

Whyte's New Blood.
 Turnip-rooted.
 White Silesian, or Sugar.
 " Silver, or Swischard.

Béta vulgàris.

For early crop sow about the first of April, and for a general supply, towards the end of May.

Chou de Bruxelles.

BRUSSEL'S SPROUTS.

{ Brássica oleràcea
 var.

A superior variety of cabbage, bearing a profusion of firm sprouts on the stem, fit for use after early frost, should be sown in May.

Broccoli.

BROCCOLI.

Brássica oleràcea var.

Early White.
 " Purple.
 Late White.

Purple Cape.
 Grange's, or Cauliflower Broccoli.

Sow in very rich ground, about the middle of May.

Chou vert.

BORECOLE, OR GERMAN GREENS.

{ Brássica oleràcea
 var.

Sow about the first of May. Should not be used until after frost.

COLEWORT, OR COLLARDS. { Brássica oleràcea
 var.

A small delicate cabbage, for use in autumn and winter. Sow about the first of May.

Cardon.

CARDOONS.

Cynara cardunculus.

Requires to be blanched like celery, and is fit for table in winter. Sow in April.

Chou pommé.

CABBAGE.

Brássica oleràcea var.

Early Vanack.
 " Dwarf.
 " York.

Early Emperor.
 " Dutch.
 Late large Drumhead.

Early large York.	Late American Drumhead, or
" Sugar Loaf.	Bergen.
" Battersea.	" Imperial.
" West Ham.	" Red Dutch (for pickling).
" Nonpareil.	Green Globe Savoy.
" Imperial (Wheeler's), new.	Yellow " "
" Hope.	Drumhead Savoy.

For early cabbages sow about the middle of Sept., and protect them with a light covering of straw during the winter, or sow on a slight hot-bed about the middle of February. The late varieties should be sown in May.

Carotte. CARROTS. *Daucus Caróta.*

Early Horn.	Long Orange.
Altringham.	" Surrey.
	Large White, for field culture.

Sow in April and May, in deep, light soil.

Chou-fleur. CAULIFLOWER. *Brássica olerácea var.*

Early Dutch.	Late Dutch.
English.	Asiatic.

For an early crop, sow about the middle of September, in rich soil, and protect with frames. For a late supply sow in May.

Cerfeuil. CHERVIL. *Scándix Cerefólium.*

Sow about the end of March, and occasionally during the season. Used in soups and salads.

Civette. CHIVES. *A'llium Schænóprasum.*

Sow early in spring.

Celeri. CELERY. *A'pium graveolens.*

Red Solid.	Red Giant.
White "	White "
Seymour's Superb White.	Lion's Paw White.
	Manchester Large Red.

For early crop sow on a slight hot-bed in February, transplant into a cold frame about the first of April, and in the beginning of June place in rows for earthing up, using rich soil, and giving a liberal supply of water.

Celeri-rave. CELERIAC. *A'pium graveolens var.*

Turnip-rooted Celery.

Sow about the first of April, and transplant into a bed about the beginning of June, (not in trenches like other celery;) let water be freely applied, and the roots will be fit for use in October.

Mâche CORN SALAD. *Fédia olitória.*
Sow in August and September. For use in winter.

Cresson alénois. CRESS. *Lepédium Sativum.*
Curled, or Pepper.

For early salad sow on a slight hot-bed in February, and for general crop every week in the open ground during March, April, and May.

Concombre. CUCUMBERS. *Cucumis sativus.*
Long Early Frame. Early White Spine, (best for
Short Prickly. early crops.)
Pickling, or Guerkin. Long Prickly.
Kerrison's Long White Spine, Manchester Prize.
(two feet long.) English Hand Glass.
Stackwood's Long Prickly. Weedon's Fine.
Cuthill's Black Spine.

For early crop sow on a hot-bed in January and February, and in April and May for open ground culture.

Melongène. EGG PLANT. *Solanum melongèna.*
Purple. White.

The purple only is used, (the white being merely ornamental.)
For early crop sow in a hot-bed in March.

Endivie. ENDIVE. *Cichòrium Endívia.*
Green Curled. Batavian, or Broad Leaved.
White Curled.

Sow in June or July.

Petite Pemprenelle. GARDEN BURNET. { *Potèrium sanguisòrba.*

Sow early in spring and transplant in May. Used in soups and salads.

Mais. INDIAN CORN. *Zéa mays.*
Early Sugar. Extra Early.
" Dutton. White Flint.
" Pearl. Cooper's Prolific.

Several other fancy sorts.

Plant about the end of April or beginning of May, and at intervals until July.

<i>Porreau.</i>	LEEK.	<i>A'llium Pórrum.</i>
Large Scotch.	Flag, or London.	

Sow about the end of March, and transplant in May, using rich soil.

<i>Laitue.</i>	LETTUCE.	<i>Lactuca sativa.</i>
Royal Cabbage, or Drumhead.	Silesia, or Early Curled.	
White Dutch, or Butter.	Imperial Cabbage.	
Brown Dutch, (very hardy.)	Large Indian.	
White Drumhead Cabbage.	Paris Cos.	
Hardy Hammersmith.	Golden Seeded Dutch, fine.	
White Cos.	Brown Cos, white seeded.	
Brighton Cos.	“ “ black seeded.	
Hampton Court Cabbage.	Victoria Cabbage.	
	Tennis Ball Cabbage.	

Sow in March, and at intervals during the season, for general crop, and for early spring use, in September.

<i>Melon.</i>	MELON.	<i>Cucumis Melo.</i>
Long Green Water.	Netted Citron.*	
Spanish Water, (finest.)	Nutmeg.	
Citron “ for preserving.	Yellow Cantaloupe.	
Cabul.	Hoosainee.	

Several fine English varieties.

<i>Moutarde.</i>	MUSTARD.	<i>Sinápis.</i>
Brown.	White.	

For early salad sow on a slight hot-bed in February and March, and for general crop, at intervals in April and May.

<i>Capucine.</i>	NASTURTIUM.	<i>Tropæolum majus.</i>
Yellow Tall.	Crimson.	
	Yellow Dwarf.	

Sow in April.

* Our netted citron melon is very pure, very fine, and has taken the prize for several seasons at the exhibitions of the Pennsylvania Horticultural Society. Water melons require to be sown about the first of May, in warm, dry sandy soil. The other sorts may be treated in the same manner, except for an early crop, when they will require to be sown in a hot-bed in February.

Oignon.

ONION.

Allium cepa.

Yellow Dutch.
Large Red.
Deptford.

Silver Skinned.
James' Keeping.
Strasburg.

Sow early in April, quite thick, in rows for sets to transplant the following season. When sown very thin, on extremely rich ground, they will frequently attain a sufficient size for use the first year.

Gombaud or Gombo.

OKRA.

Hibiscus esculentus.

Sow early in May.

Panais.

PARSNIP.

Pastinaca sativa.

Hollow Crowned, or Cup.

Sugar.

Sow early in April.

Pois.

PEAS.*

Pisum sativum.

Early Prince Albert.

Late Blue Imperial.

" extra.

" Blue Marrow.

" Grotto, (Shilling's.)

" Knight's Green Marrow.

" Charlton.

" " Dwarf White.

" Warwick.

" British Queen.

" Frame, or Race Horse.

" Blue Prussian.

" May, eight days earlier
than the early frame.

" Woodford's Marrow.

" Bishop's Dwarf.

" Dwarf Marrow.

Late Sugar.

" Royal Dwarf.

" New Mammoth.†

" Bedman's Imperial.

" Scimitar.

Sow as early as the ground is open, and at intervals of two weeks, until the end of May, and again at the end of July and during August.

Persil.

PARSLEY.

A'pium Petroselinum.

Curl'd.

Double Curl'd.

Sow early in spring.

* Peas that have been grown in some parts of this country have bug holes in them, occasioned by an insect, which deposits its eggs through the pod, where it matures and comes out, without, however, injuring the embryo of the pea, or in the least affecting its vitality.

† One of the richest peas in cultivation, and a profuse bearer.

Piment.

PEPPERS.

Cápsicum sp.

Bell, or Bull Nose.

Tomato-shaped.

Long, or Cayenne.

Cherry.

Sow on a gentle hot-bed for early crop, and in the open air in May for general use.

Pourpier.

PURSLANE.

Portulàca oleràcea.

Golden.

Sow early in spring.

Courge.

PUMPKIN.

Cucúrbita sp.

Fine marrow.

Cashaw.

Mammoth.

Golden.

Cheese, or Field.

Connecticut.

Plant about the end of April, and early in May.

Radis, or Rave.

RADISH.

Ráphanus sativus.

Early Scarlet short top.

Long Salmon.

Red Turnip.

" Red.

White "

" White Summer.

Yellow Summer.

Black Spanish.

Olive-shaped, Early French.

For early crop sow on a gentle hot-bed in February, and for a full supply, at intervals from March to July.

Rhubarbe.

RHUBARB.

Rheum rhapónticum.

Giant.

Victoria.

Mammoth.

Tobolsk.

Sow in April.

Epinard.

SPINACH.

Spinàcia oleràcea.

Round leaved.

Prickly, (most hardy for winter.)

Flanders.

New Zealand, (Tetragonia expansa.)

Sow in September for winter and spring use, and in March for early summer use.

Courge, or Potiron.

SQUASH.

Cucúrbita sp.

Cocoa Nut.

Early Bush.

Crook Necked.

" Green Striped.

Turban, (very beautiful and curious.)

Plant early in May, in rich warm soil.

Oseille. SORREL. *Rumex acetosa.*

For salads. Sow in April.

Salsifis. SALSIFY, OR VEGETABLE OYSTER. *Tragopogon pterifolius.*
Sow early in spring.

Scorzonère. SCORZONERA. *Scorzonera hispanica.*

Sow early in spring.

Chervis. SKIRRET. *Sium sisarum.*

Sow in April.

Tomate. TOMATOES. *Solanum Lycopersicum.*

Large Red, (for general use.) Red Cherry, (for pickling.)
Pear-shaped. Yellow Fruited.

For early crop sow on a hot-bed in March, and in April and May for general use.

Navet. TURNIP. *Brassica rapa.*

Early White Strap Leaved. Early White Stone.
" Red Top " " Dutch.
" Snowball. " Yellow "
" Malta. " " Stone.

Early Preston Yellow.

Sow early, for use in May and June, and from the middle of August to the first of September for the fall and winter supply.

BIRD SEEDS.

Canary. Millet.
Hemp. Maw.
- Rape. Lettuce.
Rough Rice.

POT AND SWEET HERBS.

Anis or Boucage. Anise.
Basilic. Basil, sweet.
" bush.
Mélisse. Balm.
Bourrache. Borage.
Carvi. Carraway.
L'Aneth. Fennel.
Hysope. Hyssop.
Lavande. Lavender.

Marjolaine.	Marjoram, Sweet.
Souci de Jardin.	" Pot.
Romarin.	Marigold, Pot.
Sauge.	Rosemary.
Sariette.	Sage.
Cranson officinal.	Savory, Winter.
Thym.	" Summer.
	Scurvy Grass.
	Thyme.

The whole of these may be sown about the beginning of April; most of them are aromatic, and are employed in various ways, such as flavouring soups, &c.

LAWN GRASS SEEDS.

Crested Dogtail.	<i>Cynosurus cristatus.</i>
Hard Fescue.	<i>Festuca duriuscula.</i>
Meadow Fescue.	" pratensis.
Perennial Rye Grass.	<i>Lolium perenne.</i>
Rough Stalked Meadow.	<i>Poa trivialis.</i>
Smooth " "	<i>Poa pratensis.</i>
Green Grass.	<i>Poa virens.</i>
Sheeps Fescue.	<i>Festuca ovina.</i>
Sweet Vernal.	<i>Anthoxanthum odoratum.</i>
Suckling Grass.	<i>Trifolium minus.</i>
White Dutch Clover.	<i>Trifolium repens.</i>

The above are admirably adapted for sowing on a lawn, or in any other situation where a smooth, green turf is desirable. When mixed in proper proportions for dry or moist soils, they seldom fail in producing this effect, as the several varieties attain perfection at different periods, and thereby produce a constant succession of verdure throughout the season.

BENE PLANT, *Sesamum Orientale*,

Is a certain cure for dysentery. Sow the seed in May, on warm, dry ground. Bruise three full grown leaves, put them in a tumbler of water, allow it to stand twenty minutes, when it will be like a thin jelly; then drink off the water as frequently as desired, till a cure is effected.

AGRICULTURAL SEEDS.

Purple Top Swede Turnip, or Ruta бага.	Purple Top Aberdeen Yellow Turnip.
Skirving's Improved " "	Green Top Aberdeen Yellow Turnip.
Laing's " "	Dales's Hybrid Turnip.
Red Round Turnip.	White Globe Turnip.
Kohl Rabi, or Turnip-rooted Cab- bage.	Green " "

Crimson Clover, or <i>Trifolium incarnatum</i> .	Lucerne.
Red Clover.	Yellow Trefoil.
Millet.	Italian Rye Grass.
Cow Cabbage.	Timothy.
Large White Field Carrot.	Orchard Grass.
Mangold Wurzel Long Red.	Green " "
" " Red Globe, or	Herd Grass, or Red Top.
" " Turnip-rooted.	Annual Rye Grass.
" " Yellow Turnip-rooted.	Perennial Rye Grass.
Corn.	Hemp Seed.
Peas.	Flax.
Field Beans.	Imperial Oats and other fine sorts.
Wheat of choice sorts.	Rape.
	Rye, &c.

KITCHEN GARDEN ROOTS AND PLANTS.

Asparagus.	White Onion Sets.
Garlic.	Red " "
Chives.	Shallots.
Rhubarb, Myatt's Victoria.	Mushroom Spawn.
" Giant.	Jerusalem Artichoke.
" Mammoth.	Potatoes, early and late sorts.
" Early Tobolsk.	Horse Radish.

CATALOGUE

OF

CHOICE FLOWER SEEDS.

~~~~~

IN PACKETS OF FROM 5 TO 20 CENTS EACH.

*b* Signifies biennial, or such as last for two seasons only; *p* perennial, or such as exist from year to year; the remainder attain perfection in, and last for one season only.

|                               |                          | Colour.   | Height<br>in feet. |
|-------------------------------|--------------------------|-----------|--------------------|
| <i>Adonis autumnalis</i> ,    | Pheasant's Eye,          | crim.     | 1                  |
| <i>bAlthæa rosea</i> .        | Hollyhock, many superb   |           |                    |
|                               | varieties,               | var. col. | 6                  |
| <i>Aplopappus</i> sp.         | yellow flowering,        | yel.      | 2½                 |
| <i>Amarantus</i> , bicolor,   | two coloured,            | var.      | 2                  |
| caudatus,                     | Love lies bleeding,      | red       | 2                  |
| hypochon-                     |                          |           |                    |
| driacus,                      | Prince's feather,        | red       | 2                  |
| monstrosa,                    | monstrous,               | red       | 3                  |
| tricolor,                     | three coloured,          | var.      | 2                  |
| <i>pAlyssum</i> saxatile,     | yellow,                  | yel.      | ½                  |
| calycina,                     | fragrant,                | wh.       | ½                  |
| <i>Anagallis monellii</i> ,   | large blue Pimpernel,    | blue      | ½                  |
| Phœnicea,                     | scarlet                  | scar.     | ½                  |
| Phillipsii,                   | blue                     | blue      | ½                  |
| <i>pAntirrhinum majus</i> ,   | Snapdragon, many fine    |           |                    |
|                               | varieties,               | var. col. | 2                  |
| <i>pAquilegia</i> sp.         | Columbine, choice sorts, | var.      | 2                  |
| <i>Argemone grandiflora</i> , | large flowered,          | wh.       | 1½                 |
| Mexicana,                     | Mexican,                 | yel.      | 1½                 |
| <i>Bartonia aurea</i> ,       | golden,                  | yel.      | 2                  |
| <i>Balsamina hortensis</i> ,  | many splendid double     |           |                    |
|                               | varieties,               | var. col. | 2                  |

|                                  |                                                                         | Colour.    | Height<br>in feet. |
|----------------------------------|-------------------------------------------------------------------------|------------|--------------------|
| <i>Brugmansia Waymerii</i> ,     | double flowered,                                                        | pur.       | 3                  |
| <i>Brachycome iberidifolia</i> , | fine blue,                                                              | blue       | 1                  |
| <i>Browallia elata</i> ,         | white and blue,                                                         |            | 1                  |
| <i>Callistemma hortensis</i> ,   | China aster, or Queen Margaret.                                         |            |                    |
|                                  | Quilled,                                                                | var. col.  | 1                  |
|                                  | extra fine imported German varieties, in packets of from 4 to 24 sorts, |            |                    |
| <i>Calandrinia discolor</i> ,    | two coloured leaves.                                                    | rose       | 1                  |
| <i>speciosa</i> ,                | showy,                                                                  | dark pur.  | $\frac{1}{2}$      |
| <i>pCatananche bicolor</i> ,     | two coloured,                                                           | var.       | 1                  |
| <i>p</i> <i>cærulea</i> ,        | blue,                                                                   | blue       | 1                  |
| <i>Cacalia coccinea</i> ,        | Scarlet Venus's Paint-brush,                                            | scar.      | 1                  |
| <i>sonchifolia</i> ,             | Orange, do. do. do.                                                     | orange     | 1                  |
| <i>pCalceolaria</i> sp.          | Slipperwort, superb varieties, mixed, 50 cents,                         | var. col.  | 1                  |
| <i>Calendula pluvialis</i> ,     | Cape Marigold,                                                          | pur.       | 1                  |
| <i>officinalis</i> ,             | fine double,                                                            | orange     | $1\frac{1}{2}$     |
| <i>pCampanula pyramidalis</i> ,  | pyramidal,                                                              | blue       | 4                  |
| <i>gracilis</i> ,                | slender,                                                                | blue       | 1                  |
| <i>p</i> <i>multiflora</i> ,     | many flowered,                                                          | blue       | $1\frac{1}{2}$     |
| <i>p</i> <i>alba</i> ,           | white,                                                                  | wh.        | $1\frac{1}{2}$     |
| <i>p</i> <i>divergens</i> ,      | spreading,                                                              | blue       | $1\frac{1}{2}$     |
| <i>p</i> <i>persicifolia</i> ,   | peach leaved,                                                           | blue       | 3                  |
| <i>pentagonia</i> ,              | five angled,                                                            | bl.        | 1                  |
| <i>b</i> medium,                 | Canterbury Bell,                                                        | bl.        | 2                  |
| <i>Loreii</i> ,                  | Mr. Lore's,                                                             | bl.        | 1                  |
| <i>Celosia cristata</i> ,        | Cockscomb, the best dwarf varieties,                                    | crim.      | 1                  |
| <i>bCheiranthus cheiri</i> var.  | Wall-flower,                                                            |            | $1\frac{1}{2}$     |
| <i>sanguineus</i> ,              | blood-coloured,                                                         |            | $1\frac{1}{2}$     |
| <i>flavus</i> ,                  | yellow,                                                                 |            | $1\frac{1}{2}$     |
| <i>Clarkia pulchella</i> ,       | pretty,                                                                 | rose       | 1                  |
| <i>alba</i> ,                    | " white,                                                                | wh.        | 1                  |
| <i>elegans</i> ,                 | elegant,                                                                | lilac      | 2                  |
| <i>grandiflora</i> ,             | large flowered,                                                         | dark rose  | 2                  |
| <i>Cleome grandiflora</i> ,      | spider plant,                                                           | rose       | 3                  |
| <i>Centaurea Americana</i> ,     | American,                                                               | lilac      | 2                  |
| <i>moschata</i> ,                | purple Sultan,                                                          | pur.       | 1                  |
| " <i>alba</i> ,                  | white "                                                                 | wh.        | 1                  |
| <i>suaveolens</i> ,              | yellow "                                                                | yel.       | 1                  |
| <i>Collinsia bicolor</i> ,       | two coloured,                                                           | pur. & wh. | 1                  |
| <i>heterophylla</i> ,            | various leaved,                                                         | wh. & rose | 1                  |
| <i>grandiflora</i> ,             | large flowered,                                                         | pur.       | 1                  |
| <i>pCommelina cælestis</i> ,     | sky blue,                                                               | blue       | $1\frac{1}{2}$     |

|                            |                            | Colour.    | Height<br>in feet. |
|----------------------------|----------------------------|------------|--------------------|
| Convolvulus major,         | morning glory, climber,    | var.       |                    |
| minor,                     | smaller,                   | blue       | 1                  |
| Collomia coccinea,         | scarlet,                   | scar.      | 1½                 |
| Chrysanthemum corona-      |                            |            |                    |
| rium,                      | white,                     | wh.        | 2                  |
| luteum,                    | yellow,                    | yel.       | 2                  |
| tricolor,                  | three coloured,            | var. col.  | 1½                 |
| flavum                     |                            |            |                    |
| novum,                     | new golden,                | yel.       | 1½                 |
| Calliopsis bicolor,        | two coloured,              | yel. & br. | 2                  |
| (Coreopsis tinctoria.)     |                            |            |                    |
| Drummondii,                | Drummond's,                | yel.       | 1                  |
| atrosanguinea,             | dark red,                  | var.       | 2                  |
| Clintonia pulchella,       | pretty,                    | blue       | ½                  |
| Cladanthus Arabicus,       | yellow Arabian,            | yel.       | 1                  |
| Crepis rubra,              | purple Hawkweed,           | pur.       | 1                  |
| argentea,                  | silvery, "                 | yel.       | 1                  |
| pDahlias,                  | splendid double, 50 cents, | var. col.  | 4                  |
| pDianthus barbatus,        | sweet William,             | var.       | 1                  |
| Chinensis,                 | Chinese Pink,              | var.       | 1                  |
| Hispanicus,                | Spanish "                  | var.       | 1                  |
| p Caryophyllus,            | Carnation, fine double     |            |                    |
|                            | German varieties, 50 cts.  | var.       | 1                  |
| pDigitalis purpurea,       | var. Picotee, do. do.      | var.       | 1                  |
| p alba,                    | purple Foxglove,           | pur.       | 2                  |
| Delphinium ajacis,         | white "                    | wh.        | 2                  |
|                            | Larkspur, extra fine im-   |            |                    |
|                            | ported German varie-       |            |                    |
|                            | ties of dwarf and tall     |            |                    |
|                            | Rocket,                    | var. col.  | 2                  |
| p consolidata,             | branching, do. do.         | var. col.  | 2                  |
| p grandiflorum,            | Chinese blue,              | blue       | 2                  |
| p " pallidum,              | " pale blue,               | pale blue  | 2½                 |
| p " elatum,                | Bee Larkspur,              | blue       | 3                  |
| Didiscus cœrulea,          | blue                       | blue       | 2                  |
| (Trachymene cœrulea.)      |                            |            |                    |
| Eschscholtzia Californica, | California,                | yel.       | 1                  |
| crocea,                    | orange,                    | orange     | 1                  |
| Erysimum Perowffskia-      |                            |            |                    |
| num,                       | orange,                    | orange     | 1                  |
| Eutoca grandiflora,        | large flowered,            | blue       | 1                  |
| Menziesii,                 | Menzie's,                  | blue       | 1                  |
| viscida                    | viscid,                    | dark blue  | 1½                 |
| Wrangliana,                | Wrangle's,                 | blue       | 1                  |
| Euphorbia variegata,       | variegated,                | var.       | 2                  |

|                           |                           | Colour.    | Height<br>in feet. |
|---------------------------|---------------------------|------------|--------------------|
| Gaillardia aristata,      | awned,                    | yel.       | 2                  |
| bicolor,                  | two coloured,             | yel. & red | 2                  |
| picta,                    | painted,                  | yel. & red | 1½                 |
| Richardsonii,             | Richardson's,             | yel.       | 1                  |
| pGeum coccineum,          | scarlet,                  | scar.      | 2                  |
| Gilia tricolor,           | three coloured,           | var.       | 1                  |
| Achilleæfolia,            | Achillea leaved,          | blue       | 1                  |
| capitata,                 | cluster flowered,         | blue       | 2                  |
| Glaucium maritima,        | Horn Poppy,               | yel.       | 2                  |
| Godetia lepidia,          | pretty,                   | rose       | 1                  |
| rubicunda,                | ruddy,                    | rose       | 1                  |
| vinosa,                   | wine col. flowered,       |            | 1                  |
| Gomphrena globosa,        | Globe Amaranthus,         | pur.       | 1                  |
| alba,                     | white "                   | wh.        | 1                  |
| Hieracium mutabilis,      | changeable Hawkweed,      | var.       | 1                  |
| Helianthus Californicus,  | Californian Sun Flower,   | yel.       | 3                  |
| annuus,                   | common "                  | yel.       | 5                  |
| Heliophila araboides,     | arabis like,              | blue       | 1                  |
| Hibiscus Africanus,       | African Hibiscus,         | buff       | 1½                 |
| δHumea elegans,           | elegant Humea,            | red        | 3                  |
| Helichrysum macranthum,   | large flowered,           | wh.        | 3                  |
| bracteatum,               | yellow Xeranthemum,       | yel.       | 2                  |
| " album,                  | white "                   | wh.        | 3                  |
| Iberis coronaria,         | large spiked candy-tuft,  | wh.        | 1                  |
| odorata,                  | sweet scented "           | wh.        | 1                  |
| umbellata,                | purple "                  | pur.       | 1                  |
| " alba,                   | white "                   | wh.        | 1                  |
| Ipomœa hederacea,         | ivy leaved, climber,      | blue       |                    |
| Quamoclit,                | cypress vine, climber,    | scar.      |                    |
| rubra cœrulea,            | red and blue, climber.    |            |                    |
| p Sellowii,               | Sellow's, climber,        | rose.      |                    |
| Ipomopsis elegans,        | elegant,                  | scar.      | 2                  |
| picta,                    | painted,                  | scar.      | 2                  |
| Lathyrus azureus,         | fine blue Pea,            | blue       | 1                  |
| p latifolius,             | Everlasting Pea,          | rose       | 3                  |
| odoratus,                 | Sweet Pea, all the varie- |            |                    |
|                           | ties in cultivation,      | var. col.  | 3                  |
| Leptosiphon androsaceus,  | androsace-like,           | rose       | ½                  |
| densiflorus,              | dense flowered,           | lilac      | ½                  |
| Limnanthes Douglasii,     | Douglas's,                | yel. & wh. | 1                  |
| δLisianthus Russellianus, | splendid blue,            | blue       | 1                  |
| Lobelia gracilis,         | slender,                  | blue       | ½                  |
| ramosa,                   | large blue,               | blue       | 1½                 |
| pLychnis Chalcedonica,    | scarlet Lychnis,          | scar.      | 2                  |
| Loasa lateritia,          | red Loasa, climber,       | red.       |                    |

|                        |                                                | Colour.    | Height<br>in feet. |
|------------------------|------------------------------------------------|------------|--------------------|
| Lavatera trimestris,   | red Lavatera,                                  | red        | 2                  |
| alba,                  | white,                                         | wh.        | 2                  |
| Lupinus albus,         | white,                                         | wh.        | 1½                 |
| Cruickshankii,         | Cruickshank's,                                 | var.       | 3                  |
| canaliculatus,         | blue Dutch,                                    | blue       | 1½                 |
| hirsutus,              | large blue,                                    | blue       | 1½                 |
| Hartwegii,             | Hartweg's,                                     | blue       | 2                  |
| nanus,                 | dwarf,                                         | blue       | 1                  |
| luteus,                | yellow,                                        | yel.       | 2                  |
| p polyphyllus,         | many leaved blue,                              | blue       | 3                  |
| stramineus,            | straw-coloured,                                | yel.       | 2                  |
| pilosus,               | large rose,                                    | rose       | 2                  |
| Malope grandiflora,    | large flowered,                                | crim.      | 3                  |
| alba,                  | white "                                        | wh.        | 3                  |
| Malcomia maritima,     | Virginian stock,                               | rose       | ½                  |
| Maurandia Barclayana,  | Barclay's blue climber,                        | blue.      |                    |
| Malva Zebrina,         | Zebra mallow,                                  | var.       | 2                  |
| moschata,              | Musk Mallow,                                   | wh.        | 2                  |
| Mirabilis jalapa,      | Marvel of Peru, in va-<br>riety,               | var. col.  | 3                  |
| Mathiola annua,        | ten week stock, purple,<br>scarlet and white,  |            | 1                  |
|                        | extra fine imported Ger-<br>man varieties,     |            | 1                  |
| græca,                 | wall-leaved stock, im-<br>ported varieties,    | var. col.  | 1                  |
| incana,                | Queen stock,                                   | var. col.  | 1                  |
| b simplicicaulis,      | Brompton stock,                                | var. col.  | 1                  |
| Mimulus sp.,           | Monkey Flower, a va-<br>riety of fine species, | var. col.  | 1                  |
| Mesembryanthemum       |                                                |            |                    |
| crystallinum,          | Ice Plant,                                     | wh.        | ½                  |
| tricolor,              | three coloured,                                | var.       | ½                  |
| Mimosa sensitiva,      | Sensitive Plant,                               | pur.       | 1                  |
| Nemophila atomaria,    | dotted Grove Love,                             | wh. & blk. | ½                  |
| insignis,              | blue " "                                       | blue       | ½                  |
| Nierembergia gracilis, | slender,                                       | lilac      | ½                  |
| Nigella Hispanica,     | Spanish,                                       | blue       | 1                  |
| damascena,             | damask,                                        | blue       | 1                  |
| Nicotiana nocturna,    | evening blooming white,                        | wh.        | 1½                 |
| Nolana atriplicifolia, | blue flowering,                                | blue       | ½                  |
| prostrata,             | creeping,                                      | blue       | ½                  |
| paradoxa,              | paradoxical,                                   | dark blue  | ½                  |
| Oenothera Drummondii,  | Drummond's,                                    | yel.       | 1                  |
| grandiflora,           | Evening Primrose,                              | yel.       | 2                  |

|                                      |                                               | Colour.     | Height<br>in feet. |
|--------------------------------------|-----------------------------------------------|-------------|--------------------|
| <i>Oenothera hirsuta</i> ,           | orange flowered,                              | orange      | 2                  |
| Lindleyana,                          | Lindley's,                                    | rose        | 1½                 |
| rosea alba,                          | large rose and white,                         | rose & wh.  | 2                  |
| <i>P</i> macrocarpa,                 | large yellow,                                 | yel.        | 1                  |
| tetraptera,                          | four winged,                                  | wh.         | 1                  |
| <i>p</i> <i>Pentstemon argutus</i> , | neat,                                         | lilac       | 1                  |
| <i>p</i> Chandlerii,                 | Chandler's,                                   | crim.       | 1                  |
| <i>p</i> digitalis,                  | blush,                                        |             | 1                  |
| <i>p</i> gentianoides,               | Gentian-like,                                 | crim.       | 1                  |
| <i>p</i> purpurea,                   | purple,                                       | pur.        | 1                  |
| <i>Papaver Marseillii</i> ,          | Poppy, white edged with<br>pink,              |             | 1                  |
| papilio,                             | butterfly,                                    | var.        | 1                  |
| somniferum,                          | somniferous, in variety,                      | var. col.   | 2                  |
| <i>Petunia Phœnicea</i> ,            | purple,                                       | pur.        | 1½                 |
| nyctaginiflora,                      | white,                                        | wh.         | 1                  |
| grandiflora,                         | lilac,                                        | lilac       | 1                  |
|                                      | fine new sorts, with large<br>flowers,        | var.        | 1                  |
| <i>Phlox Drummondii</i> ,            | many superb varieties,                        | var.        | 1                  |
| <i>Platystemon Californica</i> ,     | yellow,                                       | yel.        | 1                  |
| <i>p</i> <i>Pelargonium</i> sp.,     | Geranium, fine varieties,<br>mixed, 25 cents, | var. col.   | 1                  |
| <i>Portulaca splendens</i> ,         | purple,                                       | pur.        | ½                  |
| Thellusonii,                         | red,                                          | red         | ½                  |
| <i>p</i> <i>Potentilla formosa</i> , | beautiful,                                    | rose        | 1                  |
| atrosanguinea,                       | dark red,                                     | dark red    | 1                  |
| <i>p</i> <i>Pœonia</i> sp.,          | many varieties,                               | var. col.   | 2                  |
| <i>p</i> <i>Primula auricula</i> ,   | auricula, fine mixed,                         | var. col.   | ½                  |
| <i>p</i> veris,                      | Cowslip, " "                                  | var. col.   | ½                  |
| var.                                 | Polyanthus, "                                 | var. col.   | ½                  |
| <i>Prismatocarpus speculum</i> ,     | Venus' Looking-glass,                         | blue        | ½                  |
| <i>Reseda odorata</i> ,              | Mignonette,                                   | brown       | ½                  |
| <i>Rhodanthe Manglesii</i> ,         | Mangles, <i>very beautiful</i> ,              | red         | ½                  |
| <i>Salpiglossis</i> , sp.,           | many varieties,                               | var. col.   | 1½                 |
| <i>p</i> <i>Scabiosa purpurea</i> ,  | sweet scabious,                               | pur.        | 2                  |
| rubra,                               | red "                                         | red         | 2                  |
| stellata,                            | starry "                                      | pur.        | 2                  |
| <i>Schizanthus pinnatus</i> ,        | pinnated,                                     | lilac       | 2                  |
| Priestii,                            | Priest's,                                     | wh.         | 2                  |
| retusus,                             | retuse, fine,                                 | crim. & or. | 2                  |
| ( <i>Hookerii</i> .)                 |                                               |             |                    |
| venustus,                            | beautiful,                                    | lilac       | 2                  |
| <i>Senecio elegans</i> ,             | double Jacobæa,                               | var.        | 1                  |
| <i>Shortia Californica</i> ,         | Californian,                                  | yel.        | ½                  |

|                                    |                                                                | Colour.      | Height<br>in feet. |
|------------------------------------|----------------------------------------------------------------|--------------|--------------------|
| Silene armeria,                    | Lobel's Catchfly,                                              | rose         | 1                  |
| pendula,                           | pendulous, "                                                   | red          | 1                  |
| picta,                             | painted "                                                      | var.         | 1                  |
| purpurea,                          | purple "                                                       | pur.         | 1                  |
| Virginica,                         | scarlet, <i>pretty</i> ,                                       | scar.        | 1                  |
| Stenactis speciosa,                | showy,                                                         | pur.         | 1                  |
| Sphænogyne speciosa,               | showy,                                                         | yel.         | 1                  |
| *Tagetes patula,                   | French Marigold, extra<br>fine striped double va-<br>rieties,  | brown & yel. | 1                  |
| erecta,                            | African Marigold,                                              | yel. & or.   | 2                  |
| Tournefortia heliotro-<br>peoides, | Summer Heliotrope,                                             | pur.         | 1                  |
| Thunbergia alata,                  | buff, <i>climber</i> ,                                         | buff.        |                    |
| aurantiaca,                        | orange,                                                        | orange.      |                    |
| Tropæolum atrosanguini-<br>neum,   | Crimson Nasturtium, or<br>Indian Cress, <i>climber</i> ,       | dark crim.   |                    |
| Tolpis barbata,                    | Yellow Hawkweed,                                               | yel.         | 1                  |
| Tweedia cœrulea,                   | blue Tweedia,                                                  | blue         | 1½                 |
| Verbena sp.,                       | mixed colours, from the<br>most choice varieties,              | var. col.    | ½                  |
| Viscaria oculata,                  | Eyed Viscaria,                                                 | pink         | 1                  |
| pViola tricolor,                   | Pansy, or Heart's-ease,<br>saved from the finest<br>varieties, | var. col.    | ½                  |
| pVinca rosea,                      | Madagascar Periwinkle,                                         | rose         | 1½                 |
| alba,                              | white "                                                        | wh.          | 1½                 |
| Zinnia elegans,                    | elegant Zinnia, many va-<br>rieties,                           | var. col.    | 3                  |
| grandiflora,                       | large flowered,                                                | pur.         | 3                  |

In order to facilitate purchasers in their selections, the following alphabetical list of such species as are best known by their English names, has been appended, showing under what genera each may respectively be found in the preceding catalogue.

Auricula,  
African Marigold,  
Aster,

See Primula.  
" Tagetes.  
" Callistemma.

Balsam,

" Balsamina.

Catchfly,  
Candy-tuft,

" Silene.  
" Iberis.

|                     |                     |
|---------------------|---------------------|
| Carnation,          | See Dianthus.       |
| Canterbury Bell,    | " Campanula.        |
| Chinese Pink,       | " Dianthus.         |
| Columbine,          | " Aquilegia.        |
| Cowslip,            | " Primula.          |
| Cockscomb,          | " Celosia.          |
| Cypress Vine,       | " Ipomœa.           |
| Double Dahlia,      | " Dahlia.           |
| Everlasting Flower, | " Helichrysum.      |
| " Pea,              | " Lathyrus.         |
| Evening Primrose,   | " Enothera.         |
| Flos Adonis,        | " Adonis.           |
| Foxglove,           | " Digitalis.        |
| French Marigold,    | " Tagetes.          |
| Globe Amaranthus,   | " Gomphrena.        |
| Geranium,           | " Pelargonium.      |
| Horn Poppy,         | " Glaucium.         |
| Hollyhock,          | " Althœa.           |
| Heart's-ease,       | " Viola.            |
| Ice Plant,          | " Mesembryanthemum. |
| Indian Cress,       | " Tropœolum.        |
| Jacobœa,            | " Senecio.          |
| Larkspur,           | " Delphinium.       |
| Love lies bleeding, | " Amaranthus.       |
| Lupines,            | " Lupinus.          |
| Lobel's Catchfly,   | " Silene.           |
| Marvel of Peru,     | " Mirabilis.        |
| Mignonette,         | " Reseda.           |
| Mallow,             | " Malva.            |
| Marigold,           | " Calendula.        |
| Morning Glory,      | " Convolvulus.      |
| Nasturtium,         | " Tropœolum.        |
| Pansy,              | " Viola.            |
| Periwinkle,         | " Vinca.            |
| Pimpinel,           | " Anagallis.        |
| Prince's Feather,   | " Amaranthus.       |
| Picotee,            | " Dianthus.         |
| Poppy,              | " Papaver.          |
| Polyanthus,         | " Primula.          |



Sensitive Plant,  
 Scarlet Lychnis,  
 Snapdragon,  
 Summer Heliotrope,  
 Stock Gilly,  
 Spanish Pink,  
 Sunflower,  
 Sweet Alyssum,  
 " Pea,  
 " Sultan,  
 " William,  
 " Scabious,

Venus's Looking-glass,  
 Virginian Stock,

Wall Flower,

See Mimosa.  
 " Lychnis.  
 " Antirrhinum.  
 " Tournefortia.  
 " Mathiola.  
 " Dianthus.  
 " Helianthus.  
 " Alyssum.  
 " Lathyrus.  
 " Centaurea.  
 " Dianthus.  
 " Scabiosa.

" Prismaticocarpus.  
 " Malcomia.

" Cheiranthus.

As a general rule, most of the above may be sown in the month of April, but among so many species a diversity of treatment is necessarily requisite, and the opportunity is embraced of inviting the attention of the public to the "American Flower Garden Directory," in which will be found ample directions for their treatment and culture, as well as much other useful information connected with the management of the flower garden in general.

## FLOWERING BULBS.

The following bulbs are in a dry state, and can be forwarded, for planting, any time during the winter or spring.

Anemone, fine double, mixed.

“ “ “ scarlet.

Amaryllis formosissima, or Jacobæa lily, crimson, with a great variety of others.

Achimenes coccinea, scarlet.

“ grandiflora, rosy violet.

“ hirsuta, red.

“ longiflora, blue.

“ rosea, rose.

“ picta, scarlet and yellow.

Dahlias, all the superior varieties in cultivation.

Gesneria Zebrina, leaves beautifully striped, and the flowers red and yellow, variegated.

Gladiolus cardinalis, scarlet.

“ “ roseus, rose.

“ Colvillii, red and yellow shaded.

“ communis, red.

“ “ albus, white.

“ blandus, flesh colour.

“ floribundus, blush.

“ formosissimus, scarlet.

“ psittacinus, yellow and red.

“ ramosus, deep blush, with many other varieties.

Iris Susiana, brown spotted, splendid.

Lilium candidum, white.

“ eximium, white.

“ Japonicum, fragrant.

“ longiflorum, white.

“ lancifolium album, white, vanilla scented.

“ “ punctatum, white, spotted with pink, ditto.

“ “ rubrum, or speciosum, blush, spotted with crimson.

“ tigrinum, red, spotted with black.

Ranunculus, fine double, mixed.

Tigridia conchiflora, yellow spotted.

“ pavonia, red spotted.

A regular catalogue of bulbs which may be packed and forwarded in a dry state from July to November, will be published in June.

## HORTICULTURAL IMPLEMENTS.




Fig. 1. Square Garden Hoe, black, } of various sizes.  
 " " " " cast steel, }  
 2. Half round Garden Hoe, of various sizes.  
 3. Long necked " " " "  
 4. Dutch, or Scuffle Hoe, " "  
 5. Cast steel triangle Hoe.  
 6. Hollow Garden, or Transplanting Trowel, of various sizes.  
 7. Lawn Rake. 8. Grass Plot Edging Iron or Knife.




Fig. 9. Weeding Hook.  
10. Garden Rake, of various sizes.  
11. Garden Spud.  
12. Garden Chisel.  
13. Garden Paddle.  
14. Garden Hook.  
15. Garden Bill Hook.




Fig. 16. Garden Shears, with bright hoops.

17. " " " " and pruning notch.




Fig. 18. Ladies' Garden Shears, with brass hoops.

19. Border, or Grass Shears, with bright hoops.

20. " " " " " and wheel.




Fig. 21. Grass Lawn Shears, with two wheels.  
22. Branch Lopping, or Pruning Shears.





Fig. 23. Ladies' Pruning Shears.

24. Sliding Pruning Shears.

25. Ladies' Sliding Pruning Shears, with cocoa handles.

" " " " " ivory "

26. Hand Sliding Pruning Shears, black.

" " " " " bright.



27



28



29



30




Fig. 27. Bow Slide Pruner.

28. Pruning Scissors.

29. Scissors for thinning out grapes.

30. Grape Gatherers.

Flower Gathering Scissors.

Strong Pruning Knives, with buck handles.

Peach Pruning " " " " very serviceable.

Budding Knives, with ivory handles.

Tined Pruners, with buck handles.

Ladies' Pruning Knives.

Propagating Knives, and many other sorts.

Grafting Saws,

Common Garden Saws, } of various sizes.

Sugar Cane Bills.

Yorkshire Strap Bills.

Grass Scythes, of various sorts and sizes.

Garden Hammers, (bright.)  
Gentlemens' Garden Tool Chests.  
Towers' Hoes, of various sizes.  
" Ladies' Hoes, of various sizes.  
Coleman's Hoe, and a variety of others.  
Garden Spades, best American, of various sizes.  
" " " English, " "  
Ladies' bright steel Spades.  
Childrens' Spades.  
Garden Reels and Lines.  
" Forks.  
" Chisel and Pruning Saw.  
Scythe Sickles.  
Garden Thermometers, (Buist's.)  
Greenhouse Syringes, of various sizes.  
" and Garden Engines, of various sizes.  
Cast Iron Garden Rollers.

## AGRICULTURAL IMPLEMENTS.

Ploughs, of various kinds.  
 Harrows, " "  
 Cultivators, or Hoe Harrows, of various kinds.  
 Hay and Straw Cutters, " "  
 Grain and Seed Fans, " "  
 Seed Sowers, " "  
 Corn Shellers, " "  
 Grain Cradles.  
 Scythes and Sneaths, of various kinds.  
 Hay Rakes, " "  
 Hay and Manure Forks, " "  
 Field Hoes, " "  
 Spades for post-holes.  
 Shovels, long and short handled.  
 Churns of various sizes.  
 Halter and Trace Chains.  
 Bull Rings.  
 Cast Iron Pumps.  
 Root and Vegetable Cutter.

---

 MISCELLANEOUS ARTICLES.

Cast Iron Garden Seats, of various patterns.  
 " " " Vases, " "  
 " " " Hand-forcing Glasses.  
 Garden Watering Pots.  
 Flower Pots, plain and of fancy patterns.  
 Vases for cut flowers.  
 Hyacinth and Bulb Glasses.  
 Propagating Glasses, of various sizes and patterns.  
 Grafting Glasses.  
 Birds and Bird Cages in variety.  
 Cuttle Fish Bone.  
 Russia Mats.  
 NATIVE SEEDS PUT UP IN ANY QUANTITY FOR FOREIGN COUNTRIES,  
 AT MODERATE PRICES.

## LIST OF BOOKS.

Downing's Fruits and Fruit Trees of America, octavo, with illustrations, pp. 594, - - - - - \$1 50

Decidedly the best work on fruits and fruit tree culture that has appeared in this or any other country, and at an astonishingly low price. Every person who has, or desires to have any knowledge of fruits should possess a copy.

Downing's Landscape Gardening, - - - - - 3 50

" Ladies' Companion to the Flower Garden, - 1 50

" Cottage and Garden Architecture, - - - 2 00

Buist's American Flower Garden Directory, 3d ed., octavo, pp. 346, - - - - - 1 25

" This differs from most of the American works on gardening, in being an original composition from beginning to end; it is most judiciously adapted to the country in which it is published, and the author, R. Buist, of Philadelphia, is one of the best cultivators in the United States. There is no American work, that we know of, at all to be compared with it in point of usefulness."—*Loudon's Gard. Mag.*

Buist's Rose Manual, containing accurate descriptions of all the finest varieties of Roses, with directions for their propagation and culture. Cloth, gilt. - - - 75

" Mr. Buist has made a most acceptable offering to the public in this work, and we are proud of the professional talents and successful labours of our townsman, who thus offers to the lovers of roses a work which shall enable them to cultivate their favourite flower with that knowledge which gives interest to the pursuit, and pleasure to the task."—*U. S. Gazette.*

Loudon's Encyclopedia of Cottage, Farm, and Villa Architecture and Furniture, illustrated with about 2000 engravings, - - - - - \$15 00

Loudon's Repton's Landscape Gardening, - - - 9 00

" Gardener's Magazine, complete, 10 volumes, - 18 50

" Hortus Britannicus, a catalogue of about 30,000 species of plants, - - - - - 7 50

" Arboretum et Fructicetum Britannicum, in 8 vols., to order.

" ditto, ditto, abridged, to order.

Loudon's Suburban Gardener, *to order*.

" Self-instruction for Young Gardeners, Land-stewards and Farmers, with a memoir of the author, *to order*.

|                                                                                                                                                                                                                                              |        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|
| Sir H. Davy's Elements of Agricultural Chemistry, - -                                                                                                                                                                                        | \$3 75 |
| Hortus Woburnensis, the Flower and Fruit Gardens, Pleasure Grounds, &c., of Woburn Abbey, - - -                                                                                                                                              | 6 50   |
| Sinclair's Hortus Gramineus Woburnensis, or a description of Agricultural Grasses, with coloured plates, - - -                                                                                                                               | 8 75   |
| Roger's Fruit Cultivator, - - - - -                                                                                                                                                                                                          | 2 50   |
| Green-house, Hot-house and Stove, by McIntosh, with plates beautifully coloured, - - - - -                                                                                                                                                   | 3 00   |
| McIntosh's Flower Garden, with coloured plates, - -                                                                                                                                                                                          | 3 00   |
| " Greenhouse, - - - - -                                                                                                                                                                                                                      | 3 00   |
| McMahon's American Gardener's Calendar, - - -                                                                                                                                                                                                | 2 50   |
| Hints on Ornamental Gardening, by Papworth, containing designs for Buildings, Gates, Fences, &c., with coloured plates, - - - - -                                                                                                            | 7 00   |
| Lindley's Introduction to Botany, - - - - -                                                                                                                                                                                                  | 5 00   |
| " Natural System of Botany, - - - - -                                                                                                                                                                                                        | 2 50   |
| American Farmer's Encyclopedia, by C. W. Johnson, adapted to the United States, by G. Emerson. In one splendid royal octavo volume of upwards of 1150 closely printed pages, with numerous engravings of animals, implements, &c., - - - - - | 4 00   |

This work should be the companion of every farmer, young or old; they will find it a complete library of knowledge at a merely nominal price.

|                                                    |      |
|----------------------------------------------------|------|
| American Farrier, - - - - -                        | 50   |
| Skinner's Cattle and Sheep Doctor, - - - - -       | 50   |
| Hannam's Economy of Waste Manures, - - - - -       | 25   |
| Liebig's Agricultural Chemistry, - - - - -         | 25   |
| Prince on the Vine, - - - - -                      | 1 50 |
| Manures, Grasses and Farming, by J. Donaldson, - - | 4 25 |
| Doyle's Practical Husbandry, - - - - -             | 4 00 |
| The Farmer's Companion, By Judge Buel, - - - -     | 1 00 |
| Drummond's First Steps to Botany, - - - - -        | 2 25 |

The following seeds, with judicious management, will fully crop a garden of half an acre, which will supply a moderate sized family with vegetables throughout the year.

|                                |        |                             |         |
|--------------------------------|--------|-----------------------------|---------|
| 1 oz. Asparagus,               | \$0 12 | 1 oz. Nasturtium,           | \$0 12  |
| 4 quarts Beans,                | 1 00   | 4 oz. Onions,               | 40      |
| 4 oz. Beet,                    | 31     | $\frac{1}{2}$ oz. Parsley,  | 6       |
| $\frac{1}{2}$ oz. Broccoli,    | 25     | 1 oz. Parsnip,              | 12      |
| $\frac{1}{2}$ oz. Cauliflower, | 18     | 1 paper Peppers,            | 10      |
| 7 oz. Cabbages,                | 1 60   | $\frac{1}{2}$ oz. Pumpkin,  | 6       |
| 1 oz. Celery,                  | 25     | 8 quarts Peas,              | 2 00    |
| 4 oz. Cress,                   | 25     | 8 oz. Radishes,             | 50      |
| 1 oz. Cucumber,                | 25     | $\frac{1}{2}$ oz. Salsafy,  | 12      |
| 3 oz. Carrot,                  | 30     | $\frac{1}{2}$ oz. Squash,   | 6       |
| 1 paper Egg Plant,             | 12     | 4 oz. Spinach,              | 37      |
| $\frac{1}{2}$ oz. Endive,      | 12     | $\frac{1}{2}$ oz. Tomatoes, | 6       |
| $\frac{1}{2}$ oz. Leek,        | 6      | 4 oz. Turnip,               | 25      |
| 2 oz. Lettuce,                 | 50     | Pot and Sweet Herbs,        | 30      |
| 4 oz. Mustard,                 | 12     |                             |         |
| $\frac{1}{2}$ oz. Melons,      | 25     |                             |         |
|                                |        |                             | <hr/>   |
|                                |        |                             | \$10 20 |



## ADVERTISEMENT.

**FRUIT TREES** of every sort, carefully selected.  
**ORNAMENTAL TREES** and **SHRUBBERY**  
of the most beautiful growth, foliage and flower.  
**VINES** and **CREEPERS** for arbours and trellises.  
**GRAPE VINES**, native and foreign.  
**GOOSEBERRY, CURRANT** and **STRAWBERRY PLANTS.**

**HOTHOUSE, GREENHOUSE** and **PARLOUR PLANTS**, cultivated on an extensive scale under 18,000 square feet of glass.

**ROSES**, of every esteemed variety, and all the new sorts imported every season. They can be seen in bloom from May to November. Hyacinths and Tulips are in bloom from April to the end of May.

The above are all cultivated by me on the most approved principles, and can be seen at my nurseries at any time, (Sundays excepted.) Orders and packing carefully attended to. Catalogues gratis, and every article warranted genuine, by

**R. BUIST.**



